

Scrim Banner Light Matt M1 330

matt 8208 - 330 g/m²

High quality, ultra flat and dimensionally stable, white scrim banner for Solvent and UV-curable printing with M1 certification.

Advantages

- High quality displays, roll-ups
- Fire retardant M1
- Smooth high quality matt surface, exceptional dimensional stable
- Ultra flat; does not curl

Storage conditions

Shelf life: 3 years. Store in a cool, dry environment, free from direct sunlight. It is recommended to cover the material with polythene sheets for protection against dust and humidity.

Print Conditions

Best results are obtained between 15-25°C and 35-65% RH.

Environment, Health & Safety

No material safety datasheet required.

Outdoor use

Depending on external weathering and climactic conditions, this product may be expected to last for up to three years, with the exception of any applied decorations. A gradual fading of the print is common depending on the ink's quality.

Lamination

Compatibility

Hot	Warm	Cold
1	1	1
3=excellen	2= fair	1= not recommended

Hot: heat activated: 105°C - 130°C
Warm: heat activated: 85°C - 95°C
Cold: pressure sensitive

Colour Profiles

Sihl Direct b.v. develops high quality colour profiles for media / ink / printer / Rip combinations. Check availability of profiles for your printer at the download section www.sihl.nl or contact us at +31(0)73-6441044.

ING Bank 's-Bosch 67.47.92.742
BTW NL805593445B01
IBAN NL97 INGB 0674 7927 42
BIC/SWIFTCODE INGBNL2A

Op al onze aanbiedingen en overeenkomsten zijn de ICT-Office Voorwaarden van toepassing, gedeponneerd d.d. 14 januari 2009 bij de Kamer van Koophandel te Midden-Nederland onder nummer 30174840. De afnemer heeft van deze voorwaarden kennis genomen en verklaart zich akkoord met de inhoud van deze voorwaarden. Op verzoek worden de ICT-Office Voorwaarden kosteloos nogmaals toegezonden.

Sihl Direct bv
Mangaan 8
5234 GD 's-HERTOGENBOSCH

telefoon +31(0)73 6441044
telefax +31(0)73 6441212
e-mail sihl@sihl.nl
internet www.sihl.nl
K.v.K. 's-Bosch 160.55.676

Scrim Banner Light Matt M1 330matt 8208 - 330 g/m²

List of Printers

Printer	Ink	Quality
Océ CS6060/6100	Solvent	Excellent
Océ CS9065/9090 (low solvent)	Solvent	Excellent
Océ CS9065/9090 (eco solvent)	Solvent	Excellent
Océ CS7070/7075/7100	Solvent	Excellent
Océ Arizona series	Solvent	Excellent
Seiko color painter 64S / 100S	Solvent	Excellent
HP Designjet 8000s/9000s/10000s	Solvent	Excellent
Mutoh rockhopper (eco solvent ultra)	Solvent	Excellent
Mutoh spitfire (mild solvent)	Solvent	Excellent
Mutoh Toucan/Osprey/Phoenix	Solvent	Excellent
Agfa grand sherpa	Solvent	Excellent
ColorSpan display maker 72/98 UVX/UVR	Solvent	Excellent
ColorSpan display maker 72s/98s	Solvent	Excellent
Gandiinnovations Jeti 33xx/5000	Solvent	Excellent
Mimaki JV3 series	Solvent	Excellent
Roland Soljet/Versacam series	Solvent	Excellent
NUR, Scitex, Vutek	Solvent	Excellent

ING Bank 's-Bosch 67.47.92.742
 BTW NL805593445B01
 IBAN NL97 INGB 0674 7927 42
 BIC/SWIFTCODE INGBNL2A

Op al onze aanbiedingen en overeenkomsten zijn de ICT~Office Voorwaarden van toepassing, gedeponereerd d.d. 14 januari 2009 bij de Kamer van Koophandel te Midden-Nederland onder nummer 30174840. De afnemer heeft van deze voorwaarden kennis genomen en verklaart zich akkoord met de inhoud van deze voorwaarden. Op verzoek worden de ICT~Office Voorwaarden kosteloos nogmaals toegezonden.

Sihl Direct bv
 Mangaan 8
 5234 GD 's-HERTOGENBOSCH

telefoon +31(0)73 6441044
 telefax +31(0)73 6441212
 e-mail sihl@sihl.nl
 internet www.sihl.nl
 K.v.K. 's-Bosch 160.55.676

