

## Poly Textile B1 200

matt 8529 - 200 g/m<sup>2</sup>

High quality, white polyester textile that is coated with a special polymer coating that is suitable for solvent and UV-curable inkjet printers.

### Advantages

- Indoor/ outdoor banners, stretched banner applications
- Flexible white polyester, water and air impermeable
- B1 flame retardant, high tensile strength and tear resistance
- High quality polymer coating for brilliant colours, satin finish

### Storage conditions

Shelf life: 2 years, temperature 10-30°C, relative humidity 30 - 70%. Repack opened rolls when not in use. Allow material to adapt to room conditions for 24 hours before printing.

### Print Conditions

Best results are obtained between 15°C - 25°C and 35-65% RH.

### Environment, Health & Safety

No material safety datasheet required.

### Outdoor use

Minimum of 3 months in sunny southern countries up until a year in Northern part of Europe.

### Lamination

#### Compatibility

Hot	Warm	Cold
1	1	1
3=excellent	2= fair	1= not recommended

Hot: heat activated: 105°C - 130°C

Warm: heat activated: 85°C - 95°C

Cold: pressure sensitive

### Colour Profiles

Sihl Direct b.v. develops high quality colour profiles for media / ink / printer / Rip combinations. Check availability of profiles for your printer at the download section [www.sihl.nl](http://www.sihl.nl) or contact us at +31(0)73-6441044.

ING Bank 's-Bosch 67.47.92.742  
BTW NL805593445B01  
IBAN NL97 INGB 0674 7927 42  
BIC/SWIFTCODE INGBNL2A

*Op al onze aanbiedingen en overeenkomsten zijn de ICT-Office Voorwaarden van toepassing, gedeponneerd d.d. 14 januari 2009 bij de Kamer van Koophandel te Midden-Nederland onder nummer 30174840. De afnemer heeft van deze voorwaarden kennis genomen en verklaart zich akkoord met de inhoud van deze voorwaarden. Op verzoek worden de ICT-Office Voorwaarden kosteloos nogmaals toegezonden.*

Sihl Direct bv  
Mangaan 8  
5234 GD 's-HERTOGENBOSCH

telefoon +31(0)73 6441044  
telefax +31(0)73 6441212  
e-mail [sihl@sihl.nl](mailto:sihl@sihl.nl)  
internet [www.sihl.nl](http://www.sihl.nl)  
K.v.K. 's-Bosch 160.55.676

## Poly Textile B1 200

matt 8529 - 200 g/m<sup>2</sup>

### List of Printers

Printer	Ink	Quality	
Océ CS6060/6100	Solvent	Fair	Textile is to flexible
Océ CS9065/9090 (low solvent)	Solvent	Fair	Use 8532as alternative
Océ CS9065/9090 (eco solvent)	Solvent	Fair	Use 8532as alternative
Océ CS7070/7075/7100	Solvent	Excellent	
Océ Arizona series	Solvent	Excellent	
Seiko color painter 64S / 100S	Solvent	Fair	Textile is to flexible
HP Designjet 8000s/9000s/10000s	Solvent	Fair	Use 8532as alternative
Mutoh rockhopper (eco solvent ultra)	Solvent	Fair	Use 8532as alternative
Mutoh spitfire (mild solvent)	Solvent	Fair	Use 8532as alternative
Mutoh Toucan/Osprey/Phoenix	Solvent	Excellent	
Agfa grand sherpa	Solvent	Excellent	
ColorSpan display maker 72/98 UVX/UVR	Solvent	Excellent	
ColorSpan display maker 72s/98s	Solvent	Excellent	
Gandiinnovations Jeti 33xx/5000	Solvent	Excellent	
Mimaki JV3 series	Solvent	Excellent	
Roland Soljet/Versacam series	Solvent	Excellent	
NUR, Scitex, Vutek	Solvent	Excellent	

ING Bank 's-Bosch 67.47.92.742  
 BTW NL805593445B01  
 IBAN NL97 INGB 0674 7927 42  
 BIC/SWIFTCODE INGBNL2A

*Op al onze aanbiedingen en overeenkomsten zijn de ICT-Office Voorwaarden van toepassing, gedeponereerd d.d. 14 januari 2009 bij de Kamer van Koophandel te Midden-Nederland onder nummer 30174840. De afnemer heeft van deze voorwaarden kennis genomen en verklaart zich akkoord met de inhoud van deze voorwaarden. Op verzoek worden de ICT-Office Voorwaarden kosteloos nogmaals toegezonden.*

Sihl Direct bv  
 Mangaan 8  
 5234 GD 's-HERTOGENBOSCH

telefoon +31(0)73 6441044  
 telefax +31(0)73 6441212  
 e-mail sihl@sihl.nl  
 internet www.sihl.nl  
 K.v.K. 's-Bosch 160.55.676

